

| METAL ORE  |       |        |              |            |                |           |          |
|--|-------|--------|--------------|------------|----------------|-----------|----------|
| STOCK LEYING AT KALAMBOLI GODOWN AS ON 03/11/2016      |       |        |              |            |                |           |          |
| SAIL BSP 516-70  |       |        |              |            |                |           |          |
| Plate TK   | Width | Length | Grade        | No.Of Pcs  | WEIGHT         | MILL NAME | PLOT NO. |
| 10   | 2500  | 6300   | 516-70       | 1          | 1.236          | SAIL/BSP  | 1018     |
| 10   | 2500  | 12000  | 516-70       | 18         | 42.390         | SAIL/BSP  | 1018     |
| 12   | 2500  | 12000  | 516-70       | 17         | 48.042         | SAIL/BSP  | 1018     |
| 12   | 2500  | 6000   | 516-70       | 1          | 1.413          | SAIL/BSP  | 1018     |
| 14   | 2500  | 12000  | 516-70       | 3          | 9.891          | SAIL/BSP  | 1018     |
| 16   | 2500  | 12000  | 516-70       | 3          | 11.304         | SAIL/BSP  | 1018     |
| 18   | 2500  | 12000  | 516-70       | 7          | 29.673         | SAIL/BSP  | 1018     |
| 20   | 2500  | 12000  | 516-70       | 12         | 56.520         | SAIL/BSP  | 1018/947 |
| 25   | 2500  | 12000  | 516-70       | 3          | 17.663         | SAIL/BSP  | 1018     |
| 28   | 2500  | 12000  | 516-70       | 2          | 13.188         | SAIL/BSP  | 1018     |
| 30   | 2500  | 12000  | 516-70       | 5          | 35.325         | SAIL/BSP  | 1018     |
| 32   | 2500  | 12000  | 516-70       | 1          | 7.536          | SAIL/BSP  | 1018     |
|  |       |        | <b>TOTAL</b> | <b>73</b>  | <b>218.132</b> |           |          |
| ESSAR STEEL 516-70                                     |       |        |              |            |                |           |          |
| 6  | 2500  | 6300   | 516-70       | 89         | 66.022         | NEW ESSAR | 947      |
| 6  | 2500  | 12000  | 516-70       | 148        | 209.124        | NEW ESSAR | 1018     |
| 8  | 2000  | 12000  | 516-70       | 3          | 4.522          | NEW ESSAR | 1018     |
| 8  | 2500  | 12000  | 516-70       | 30         | 56.520         | NEW ESSAR | 1018     |
| 10   | 1450  | 6600   | 516-415      | 1          | 0.751          | NEW ESSAR | 947      |
| 10   | 2000  | 12000  | 516-70       | 7          | 13.188         | NEW ESSAR | 1018     |
| 10   | 2500  | 12000  | 516-70       | 29         | 68.295         | NEW ESSAR | 947/1018 |
| 12   | 2500  | 12000  | 516-70       | 8          | 22.608         | NEW ESSAR | 1018     |
| 20   | 2500  | 12000  | 516-70       | 2          | 9.420          | NEW ESSAR | 1018     |
| 25   | 2500  | 12000  | 516-70       | 0          | 0.000          | ESSAR     | 1018     |
| 32   | 2500  | 12000  | 516-70       | 1          | 7.536          | ESSAR     | 1018     |
| 40   | 2500  | 12000  | 516-70       | 2          | 18.840         | ESSAR     | 1018     |
| 50   | 2500  | 12000  | 516-70       | 1          | 11.775         | NEW ESSAR | 1018     |
| 56   | 2500  | 12000  | 516-70       | 2          | 26.376         | NEW ESSAR | 1018     |
| 60   | 2500  | 8000   | 516-70       | 2          | 18.840         | NEW ESSAR | 947      |
| 63   | 2500  | 8000   | 516-70       | 3          | 29.673         | ESSAR     | 1018/947 |
| 65   | 2500  | 12000  | 516-70       | 1          | 15.308         | NEW ESSAR | 1018     |
| 75   | 2500  | 6500   | 516-70       | 2          | 19.134         | NEW ESSAR | 947      |
| 80   | 2500  | 6300   | 516-70       | 2          | 19.782         | NEW ESSAR | 947      |
| 80   | 2500  | 8000   | 516-70       | 1          | 12.560         | ESSAR     | 1018     |
|  |       |        | <b>TOTAL</b> | <b>334</b> | <b>630.274</b> |           |          |
| Boiler Quality Plates Ukraine- Azovstal SA 516 GR70/60 |       |        |              |            |                |           |          |
| PlateTK  | Width | Length | Grade        | NO OF PCS  | WEIGHT         | MILL NAME |          |
| 56   | 2500  | 8500   | 516-70       | 1          | 9.342          | AZOVSTAL  | 947      |
| 63   | 2500  | 7750   | 516-70       | 1          | 9.582          | AZOVSTAL  | 947      |
| 70   | 2500  | 6980   | 516-70       | 1          | 9.589          | AZOVSTAL  | 947      |
| 100  | 2500  | 4850   | 516-70       | 3          | 28.554         | AZOVSTAL  | 947      |
| 125  | 2500  | 3900   | 516-70       | 2          | 19.134         | AZOVSTAL  | 947      |
|  |       |        | <b>TOTAL</b> | <b>8</b>   | <b>76.201</b>  |           |          |
| Boiler Quality Plates Ukraine- ALCHEVSK SA 516 GR70/60 |       |        |              |            |                |           |          |
| Plate TK   | Width | Length | Grade        | No.Of Pcs  | WEIGHT         | MILL NAME |          |
| 56   | 2000  | 8000   | 516-70       | 1          | 7.034          | ALCHEVSK  | 947      |

|   |              |               |              |                  |                |                 |      |
|---|--------------|---------------|--------------|------------------|----------------|-----------------|------|
|   |              |               | <b>TOTAL</b> | <b>1</b>         | <b>7.034</b>   |                 |      |
| <b>GERMANY -516-70</b>                                  |              |               |              |                  |                |                 |      |
| <b>Plate TK</b>   | <b>Width</b> | <b>Length</b> | <b>Grade</b> | <b>No.Of Pcs</b> | <b>WEIGHT</b>  |                 |      |
| 56  | 2015         | 6730          | 516-70       | 1                | 5.961          | REINER BRACH    | 1018 |
| 60  | 2010         | 9830          | 516-70       | 1                | 9.306          | REINER BRACH    | 1018 |
| 62  | 2070         | 8200          | 516-70       | 1                | 8.261          | REINER BRACH    | 1018 |
| 63  | 2500         | 12000         | 516-70       | 3                | 44.510         | SALZGITTER      | 419  |
| 65  | 2500         | 12000         | 516-70       | 1                | 15.308         | SALZGITTER      | 419  |
| 75  | 2500         | 12000         | 516-70       | 2                | 35.325         | SALZGITTER      | 419  |
| 80  | 2500         | 12000         | 516-70       | 1                | 18.840         | SALZGITTER      | 419  |
| 100   | 2500         | 10000         | 516-70       | 2                | 39.250         | SALZGITTER      | 419  |
| 115   | 2500         | 8800          | 516-70       | 1                | 19.861         | SALZGITTER      | 419  |
| 120   | 2050         | 5990          | 516-70       | 2                | 23.135         | REINER BRACH    | 419  |
| 120   | 2600         | 8700          | 516-70       | 1                | 21.308         | REINER BRACH    | 419  |
|   |              |               | <b>TOTAL</b> | <b>16</b>        | <b>241.064</b> |                 |      |
| <b>GERMANY -516-60 NACE</b>                             |              |               |              |                  |                |                 |      |
| <b>Plate TK</b>   | <b>Width</b> | <b>Length</b> | <b>Grade</b> | <b>No.Of Pcs</b> | <b>WEIGHT</b>  |                 |      |
| 8   | 2500         | 12000         | 516-60       | 2                | 3.768          | SALZGITTER      | 1018 |
| 32  | 2500         | 12000         | 516-60       | 1                | 7.536          | SALZGITTER      | 1018 |
|   |              |               | <b>TOTAL</b> | <b>3</b>         | <b>11.304</b>  |                 |      |
| <b>UKRAINE AZOVSTAL/ALCHEVSK S355 J2 G3</b>             |              |               |              |                  |                |                 |      |
| <b>Plate TK</b>   | <b>Width</b> | <b>Length</b> | <b>Grade</b> | <b>No.Of Pcs</b> | <b>WEIGHT</b>  |                 |      |
| 10  | 2500         | 12000         | S355J2+N     | 2                | 4.710          | ALCHEVSK        | 1018 |
| 32  | 2500         | 11000         | S355J2+N     | 1                | 6.908          | ALCHEVSK        | 1018 |
|   |              |               | <b>TOTAL</b> | <b>3</b>         | <b>11.618</b>  |                 |      |
| <b>CHINESE S355 J2+N XINYU/NANJING/WUYANG/XINGCHENG</b> |              |               |              |                  |                |                 |      |
| <b>Plate TK</b>   | <b>Width</b> | <b>Length</b> | <b>Grade</b> | <b>No.Of Pcs</b> | <b>WEIGHT</b>  |                 |      |
| 15  | 2500         | 10000         | S355J2+N     | 1                | 2.944          | WUYANG          | 947  |
| 16  | 2500         | 12000         | S355J2+N     | 1                | 3.768          | XIYNU           |      |
| 20  | 2500         | 12000         | S355J2+N     | 1                | 4.710          | XIYNU           | 1018 |
| 28  | 2500         | 12000         | S355J2+N     | 3                | 19.782         | XIYNU           | 947  |
| 32  | 2500         | 12000         | S355J2+N     | 3                | 22.608         | XIYNU           | 947  |
| 36  | 2500         | 12000         | S355J2+N     | 3                | 25.434         | XIYNU           | 947  |
| 45  | 2500         | 10000         | S355J2+N     | 1                | 8.831          | XIYNU           | 947  |
| 45  | 2500         | 12000         | S355J2+N     | 1                | 10.598         | XIYNU           | 947  |
| 50  | 2500         | 12000         | S355J2+N     | 0                | 0.000          | XIYNU           | 947  |
| 65  | 2500         | 8000          | S355J2+N     | 2                | 20.410         | WUYANG          | 419  |
| 70  | 2500         | 6000          | S355J2+N     | 1                | 8.243          | XINGCHENG       | 419  |
| 75  | 2500         | 12000         | S355J2+N     | 1                | 17.663         | XINGCHENG       | 419  |
| 80  | 2500         | 11000         | S355J2+N     | 0                | 0.000          | WUYANG          | 947  |
| 100   | 2500         | 6300          | S355J2+N     | 1                | 12.364         | WUYANG          | 419  |
| 110   | 2500         | 6300          | S355J2+N     | 1                | 13.600         | XINGCHENG/XIYNU | 419  |
| 120   | 2500         | 6300          | S355J2+N     | 2                | 29.673         | XINGCHENG       | 419  |
| 125   | 2500         | 6300          | S355J2+N     | 4                | 61.819         | XINGCHENG       | 419  |
| 150   | 2500         | 6300          | S355J2+N     | 5                | 92.728         | XINGCHENG       | 419  |
| 160   | 2500         | 6000          | S355J2+N     | 1                | 18.840         | WUYANG          | 419  |
| 160   | 2500         | 6300          | S355J2+N     | 1                | 19.782         | XINGCHENG       | 419  |
| 180   | 2520         | 5700          | S355J2+N     | 1                | 20.296         | WUYANG          | 419  |
| 200   | 2500         | 4950          | S355J2+N     | 1                | 19.429         | WUYANG          | 419  |
| 210   | 2520         | 5700          | S355J2+N     | 1                | 23.679         | WUYANG          | 419  |

|                 |              |               |                                   |                  |                 |                  |          |
|-----------------|--------------|---------------|-----------------------------------|------------------|-----------------|------------------|----------|
| 220             | 2520         | 5300          | S355J2+N                          | 1                | 23.066          | WUYANG           | 419      |
| 230             | 2520         | 4400          | S355J2+N                          | 1                | 20.019          | WUYANG           | 419      |
| 240             | 2500         | 4380          | S355J2+N                          | 1                | 20.630          | WUYANG           | 419      |
| 250             | 2520         | 4420          | S355J2+N                          | 1                | 21.859          | WUYANG           | 419      |
|                 |              |               | <b>TOTAL</b>                      | <b>40</b>        | <b>542.773</b>  |                  |          |
|                 |              |               | <b>SAIL BSP &amp; RSP E350 C</b>  |                  |                 |                  |          |
| 10              | 2500         | 12000         | E350 C                            | 15               | 35.325          | SAIL/BSP         | 947      |
| 12              | 2500         | 12000         | E350 C                            | 20               | 56.520          | SAIL/BSP         | 947/1018 |
| 14              | 2500         | 12000         | E350 C                            | 8                | 26.376          | SAIL/BSP         | 947      |
| 15              | 2500         | 12000         | E350 C                            | 0                | 0.000           | SAIL/BSP         | 947      |
| 16              | 2500         | 12500         | E350 C                            | 1                | 3.925           | SAIL/BSP         | 947      |
| 20              | 2500         | 12000         | E350 C                            | 8                | 37.680          | SAIL/BSP         | 947/1018 |
| 22              | 2500         | 12000         | E350 C                            | 9                | 46.629          | SAIL/BSP         | 947      |
| 25              | 2500         | 12000         | E350 C                            | 0                | 0.000           | SAIL/BSP         | 947      |
| 40              | 2500         | 12000         | E350 C                            | 6                | 56.520          | SAIL/RSP         | 947      |
| 50              | 2500         | 12000         | E350 C                            | 5                | 58.875          | SAIL/RSP         | 947      |
|                 |              |               | <b>TOTAL</b>                      | <b>72</b>        | <b>262.975</b>  |                  |          |
|                 |              |               | <b>ESSAR STEEL E350C</b>          |                  |                 |                  |          |
| 56              | 2500         | 12000         | E350 C                            | 1                | 13.188          | NEW ESSAR        | 947/1018 |
| 63              | 2500         | 12000         | E350 C                            | 1                | 14.837          | NEW ESSAR        | 947/1018 |
|                 |              |               | <b>TOTAL</b>                      | <b>2</b>         | <b>28.0245</b>  |                  |          |
|                 |              |               | <b>JINDAL E350 C</b>              |                  |                 |                  |          |
| 8               | 2500         | 12000         | E350 C                            | 25               | 47.100          | JINDAL           | 1018     |
| 10              | 2500         | 12000         | E350 C                            | 22               | 51.810          | JINDAL           | 1018     |
| 70              | 2500         | 12000         | E350 C                            | 1                | 16.485          | JINDAL           | 1018     |
| 90              | 2500         | 12000         | E350 C                            | 1                | 21.195          | JINDAL           | 1018     |
|                 |              |               | <b>TOTAL</b>                      | <b>49</b>        | <b>98.910</b>   |                  |          |
|                 |              |               | <b>INDONESIA POSCO-E350 C</b>     |                  |                 |                  |          |
| 12              | 2500         | 12000         | POSCO E350C                       | 7                | 19.782          | POSCO/PTKP       | 947      |
| 14              | 2500         | 12000         | POSCO E350C                       | 1                | 3.297           | POSCO/PTKP       | 947      |
| 16              | 2500         | 12000         | POSCO E350C                       | 16               | 60.288          | POSCO/PTKP       | 947      |
| 20              | 2500         | 12000         | POSCO E350C                       | 18               | 84.780          | POSCO/PTKP       | 947      |
| 25              | 2500         | 12000         | POSCO E350C                       | 17               | 100.088         | POSCO/PTKP       | 947      |
| 28              | 2500         | 12000         | POSCO E350C                       | 1                | 6.594           | POSCO/PTKP       | 947      |
| 30              | 2500         | 12000         | POSCO E350C                       | 2                | 14.130          | POSCO/PTKP       | 947      |
| 32              | 2500         | 12000         | POSCO E350C                       | 4                | 30.144          | POSCO/PTKP       | 947      |
|                 |              |               | <b>TOTAL</b>                      | <b>66</b>        | <b>319.1025</b> |                  |          |
|                 |              |               | <b>ESSAR STEEL E250BR</b>         |                  |                 |                  |          |
| 50              | 2500         | 12000         | E250 BR                           | 8                | 94.200          | NEW ESSAR        | 947      |
| 63              | 2500         | 12000         | E250 BR                           | 7                | 103.856         | NEW ESSAR        | 947      |
| 75              | 2500         | 11500         | E250 BR                           | 8                | 135.413         | NEW ESSAR        | 947      |
| 90              | 2500         | 9600          | E250 BR                           | 2                | 33.912          | NEW ESSAR        | 947      |
| 100             | 2500         | 6300          | E250 BR                           | 3                | 37.091          | NEW ESSAR        | 419      |
| 125             | 2500         | 6300          | E250 BR                           | 4                | 61.819          | NEW ESSAR        | 419      |
|                 |              |               | <b>TOTAL</b>                      | <b>32</b>        | <b>466.29</b>   |                  |          |
|                 |              |               | <b>SAIL BSP &amp; RSP E250 BR</b> |                  |                 |                  |          |
| <b>Plate TK</b> | <b>Width</b> | <b>Length</b> | <b>Grade</b>                      | <b>No.Of Pcs</b> | <b>WEIGHT</b>   | <b>MILL NAME</b> |          |
| 10              | 2500         | 12000         | E250 BR                           | 9                | 21.195          | SAIL/BSP         | 947      |
| 12              | 2500         | 12000         | E250 BR                           | 22               | 62.172          | SAIL/BSP         | 947/1018 |
| 12              | 2500         | 12500         | E250 BR                           | 2                | 5.888           | SAIL/BSP         | 1018     |

|  |              |               |              |                  |                   |           |          |
|--|--------------|---------------|--------------|------------------|-------------------|-----------|----------|
| 14                                       | 2500         | 12500         | E250 BR      | 3                | 10.303            | SAIL/BSP  | 947      |
| 16                                       | 2500         | 12000         | E250 BR      | 0                | 0.000             | SAIL/BSP  | 947/1018 |
| 16                                       | 2500         | 12500         | E250 BR      | 1                | 3.925             | SAIL/BSP  | 1018     |
| 20                                       | 2000         | 12000         | E250 BR      | 1                | 3.768             | SAIL/BSP  | 1018     |
| 20                                       | 2500         | 6100          | E250 BR      | 1                | 2.394             | SAIL/BSP  | 1018     |
| 20                                       | 2500         | 6300          | E250 BR      | 3                | 7.418             | SAIL/BSP  | 1018     |
| 20                                       | 2500         | 11000         | E250 BR      | 1                | 4.318             | SAIL/BSP  | 947      |
| 20                                       | 2500         | 12000         | E250 BR      | 4                | 18.840            | SAIL/BSP  | 947/1018 |
| 22                                       | 2500         | 12500         | E250 BR      | 1                | 5.397             | SAIL/BSP  | 1018     |
| 25                                       | 2500         | 8000          | E250 BR      | 1                | 3.925             | SAIL/BSP  | 1018     |
| 25                                       | 2500         | 11000         | E250 BR      | 1                | 5.397             | SAIL/BSP  | 1018     |
| 25                                       | 2500         | 12000         | E250 BR      | 2                | 11.775            | SAIL/BSP  | 947/1018 |
| 25                                       | 2500         | 12500         | E250 BR      | 5                | 30.664            | SAIL/BSP  | 1018     |
| 30                                       | 2500         | 12500         | E250 BR      | 1                | 7.359             | SAIL/BSP  | 947      |
| 32                                       | 2500         | 10000         | E250 BR      | 2                | 12.560            | SAIL/BSP  | 947      |
| 32                                       | 2500         | 12000         | E250 BR      | 1                | 7.536             | SAIL/BSP  | 947      |
| 36                                       | 2500         | 10000         | E250 BR      | 1                | 7.065             | SAIL/BSP  | 947      |
| 40                                       | 2500         | 8000          | E250 BR      | 2                | 12.560            | SAIL/BSP  | 947      |
|  |              |               | <b>TOTAL</b> | <b>64</b>        | <b>244.459</b>    |           |          |
| <b>CHINESE ASTM-A36 WUYANG/XINGCHENG</b> |              |               |              |                  |                   |           |          |
| <b>Plate TK</b>                          | <b>Width</b> | <b>Length</b> | <b>Grade</b> | <b>No.Of Pcs</b> | <b>WEIGHT</b>     |           |          |
| 63                                       | 2500         | 12000         | A36          | 1                | 14.837            | JAPAN     | 1018     |
| 80                                       | 2500         | 12000         | A36          | 3                | 56.520            | XINGCHENG | 419/1018 |
| 90                                       | 2500         | 10000         | A36          | 1                | 17.663            | XINGCHENG | 419      |
| 120                                      | 2500         | 6600          | A36          | 1                | 15.543            | WUYANG    | 947      |
| 140                                      | 2500         | 6650          | A36          | 1                | 18.271            | WUYANG    | 419      |
| 140                                      | 2500         | 6700          | A36          | 1                | 18.408            | WUYANG    | 419      |
| 150                                      | 2520         | 6200          | A36          | 1                | 18.397            | WUYANG    | 419      |
| 150                                      | 2520         | 6300          | A36          | 2                | 37.388            | XINGCHENG | 419      |
| 151                                      | 2520         | 6300          | A36          | 3                | 56.456            | WUYANG    | 947      |
| 160                                      | 2520         | 5500          | A36          | 1                | 17.408            | WUYANG    | 947      |
| 180                                      | 2520         | 5000          | A36          | 2                | 35.608            | WUYANG    | 419      |
| 180                                      | 2520         | 6300          | A36          | 1                | 22.433            | XINGCHENG | 419      |
| 200                                      | 2520         | 4500          | A36          | 2                | 35.608            | WUYANG    | 419      |
| 200                                      | 2500         | 4850          | A36          | 1                | 19.036            | WUYANG    | 419      |
| 210                                      | 2520         | 4600          | A36          | 1                | 19.109            | WUYANG    | 419      |
| 220                                      | 2520         | 4500          | A36          | 2                | 39.168            | WUYANG    | 419      |
| 225                                      | 2520         | 5400          | A36          | 1                | 24.035            | WUYANG    | 419      |
| 230                                      | 2520         | 5200          | A36          | 1                | 23.659            | WUYANG    | 419      |
| 250                                      | 2520         | 5000          | A36          | 0                | 0.000             | WUYANG    | 419      |
| 260                                      | 3000         | 5200          | S235JR+N     | 1                | 31.840            | WUYANG    | 419      |
| 280                                      | 2120         | 5240          | A36          | 1                | 24.417            | WUYANG    | 947      |
| 280                                      | 2120         | 5420          | A36          | 1                | 25.256            | WUYANG    | 947      |
| 280                                      | 2520         | 6400          | A36          | 2                | 70.899            | WUYANG    | 947      |
| 300                                      | 2520         | 5250          | A36          | 1                | 31.157            | WUYANG    | 419      |
| 310                                      | 2520         | 5400          | A36          | 0                | 0.000             | WUYANG    | 419      |
| 320                                      | 2520         | 4300          | A36          | 0                | 0.000             | WUYANG    | 419      |
|  |              |               | <b>TOTAL</b> | <b>32</b>        | <b>673.115</b>    |           |          |
| <b>FINAL TOTAL</b>                       |              |               |              | <b>795</b>       | <b>3831.27554</b> |           |          |